



Philippine  
Overseas  
Employment  
Administration

Republic of the Philippines  
Department of Labor and Employment  
BFO Building, Ortigas Avenue cor. EDSA, Mandaluyong City 1501

Website: www.poea.gov.ph E-mail: info@poea.gov.ph  
Hotlines: 722-1144, 722-1155



## REQUEST FOR PRICE QUOTATION

20 June 2018

### SUPPLY OF AUDIO SYSTEM AT THE NEWLY RENOVATED PATRICIA STO. TOMAS HALL POEA CENTRAL OFFICE (RFQ 62-2018)

Date: \_\_\_\_\_  
Name of Company: \_\_\_\_\_  
Address: \_\_\_\_\_  
Business Permit No. \_\_\_\_\_  
TIN No. \_\_\_\_\_  
PhilGEPS Registration No.: \_\_\_\_\_

Please quote your lowest net price, taxes included for the item/s described below and submit your **signed and sealed** quotation to the POEA BAC Secretariat, BFO Building, Ortigas Ave., cor Edsa, Mandaluyong City not later than 2p.m. on **28 June 2018** at which date and time, all submitted quotations will be opened. Late bids shall not be received.

Available fund is ONE HUNDRED SIXTY TWO THOUSAND PESOS (**₱162,000.00**).

**VIRGILIO L. CARREON, JR.**  
Chairperson  
Bids and Awards Committee

After having carefully read and accepted the Terms and Conditions, I/we submit our quotation/s for the item/s as follows:

QTY./ UNIT	DESCRIPTION	UNIT PRICE	TOTAL PRICE
1 Lot	<p>Supply of Audio System at the Newly Renovated Patricia Sto. Tomas Hall POEA Central Office</p> <p>15" Two-Way Multipurpose Self-Powered Speaker Sound Syatem with Tripod (3 Unit)</p> <p>Features: Enclosure designs have been optimized for ideal acoustic resonance taking advantage of injection molding techniques and mechanical shaping of the enclosures. Bluetooth integration</p> <p>Specification: System Type                      Self powered 15", two-way, bass-reflex</p>		

Max SPL Output	127 dB
Freq. Range (-10 dB)	39 Hz - 20 kHz
Freq. Response ( $\pm 3$ dB)	50 Hz - 20 kHz
Coverage Pattern	90° x 60°
Amplifier Design	Class D
Power Rating	1000W Peak (700W LF + 300W HF), 500W Continuous (350W LF + 150W HF)
AC inputs	230 volts
Dimensions (H x W x D)	707 x 439 x 365 (mm) 27.8 x 17.3 x 14.4 (in)
Net Weight	17.69 kg (39 lbs)

**Mixing Console (Audio Mixer) (1 unit)**

**Features:**

1. Total inputs 12 mono+2 stereo
2. 2 configurable auxiliary buses
3. XLR-type and ¼" metal jack connector sockets
4. RCA phono stereo playback inputs and record outputs
5. 3-band EQ with a swept mid on mono input
6. 2-band EQ on stereo inputs
7. TRS insert sockets and inserts on all mono inputs and mix output
8. Ten-segment LED output metering
9. Intuitive and comprehensive solo system
10. Headphone output
11. Easily rack mountable

**UHF- R Wireless Microphone System (1 unit)**

**Specifications:**

Type of System	Dual Handheld UHF, Rackmount Type Receiver
RF Carrier	H4 / 518 - 578MHz
Frequency Range	
Approx. Working Range	500 feet (150 meters) <i>typical conditions</i>
Overall Frequency Response	40Hz to 18kHz +/- 1dB
Signal-to-Noise Ratio	Ultimate Quieting (ref. 45 kHz deviation) <100 dB, A-weighted
# Of Channels	2400 Selectable Frequencies Across 60 MHz Bandwidth

	# Of Simultaneous Systems <b>Movable Rack, Cables and Connectors (1 Lot)</b>	Up to 60 Preset Compatible Systems/Band (140 w/Multiple Bands, Region Dependent)		
Name of Company				
Complete Address				
Telephone No./Fax				
Printed Name of Owner/Authorized Representative and Signature				

**TERMS AND CONDITIONS:**

1. Bidders shall provide correct and accurate information required in this form.
2. Price quotation/s must be valid for a period of *Thirty (30) calendar days* from the date of submission.
3. Price quotation/s, to be denominated in Philippine peso shall include all taxes, duties and/or levies payable.
4. Quotations exceeding the Approved Budget for the Contract shall be rejected.
5. Award of contract shall be made to the lowest quotation which complies with the minimum technical specifications
6. Any interlineations, erasures or overwriting shall be valid only if they are signed or initialed by your or any of your duly authorized representative/s.
7. The POEA shall have the right to inspect and/or to test the goods to confirm their conformity to the technical specifications.
8. Liquidated damages equivalent to one tenth of one percent (0.001%) of the value of the goods not delivered within the prescribed delivery period shall be imposed per day of delay. The POEA may rescind or terminate the contract once the cumulative amount of liquidated damages reaches ten percent (10%) of the amount of the contract, without prejudice to other courses of action and remedies available under circumstances.
9. The bidder shall submit the following requirements:
  - a) Business Permit/Mayor's Permit;
  - b) PhilGEPS Registration;
  - c) Income/Business Tax Return; and
  - d) Omnibus Sworn Statement.